Math 4997-3

Lecture 1: Introduction and Getting started

Patrick Diehl

https://www.cct.lsu.edu/~pdiehl/teaching/2021/4997/

Notes

Outline

Notes

Administration/Organization

Notes

Important dates

Lectures

Tuesday and Thursday, 09:00 to 10:20, 0128 Allen Hall

Grading

- Homework 30%
- Project 20%
- Midterm exam 20%
- Final exam 30%

Exams

- Midterm exam: 13.10 during lecture
- Final exams: 10.12 from 12:30 to 2:30

More: Syllabus and Timeline.

Notes

Reading

Course's books

- Andrew, Koenig. Accelerated C++: practical programming by example. Pearson Education India, 2000.
- Stroustrup, Bjarne. Programming: principles and practice using C++. Pearson Education, 2014.

Assistance C++ basics

- Stroustrup, Bjarne. A Tour of C++. Addison-Wesley Professional, 2018.
- O'Dwyer, Arthur. Mastering the C++17 STL. Packt Publishing Ltd; 2017.

Notes

Submitting home work

Theory exercises

At the beginning of the lecture in printed form

Programming exercises

- Github Classroom[1] for submission of the programming exercises and the course project.
- Juypter Server[2] to work in your browser on the exercises and course project[3].

Note that we use these tools the first time for this course. We anticipate to do a short survey at the end of the semester.

[1] https://www.diehlpk.de/blog/githubclassroom/
[2] https://hpx-tutorial.cct.lsu.edu
[3] https://www.diehlpk.de/blog/jupyter-notebooks/

Notes

Communication-Intensive (C-I) course

Mode I: Written

- Learn how to write C++ standard confirm code
- Learn how to write proper documentation
- Use the pieces of the assignments to code the course project

Mode II: Technological

- Use GitHub for remote collaborative software development
- Translate mathematical and algorithms into C++ code

Notes

Getting started

Notes

A small C++ program

```
// a small C++ program
#include <iostream>

int main()
{
    std::cout << "Hello, world!" << std::endl;
    return 0;
}
```

Compile

```
g++ lecture1-1.cpp -o lecture1-1
```

Run

```
./lecture1-1
```

Notes

Structure of a C++ program

```
// a small C++ program
#include <iostream>

int main()
{
    std::cout << "Hello, world!" << std::endl;
    return 0;
}
```

Comments [?]

- A one line comment starts with //
- A comment over multiple lines starts with /∗ and ends with ∗/
- Comments are important to understand the program, especially if the code is shared

Include directives

- Is needed to include functionality of the C++ standard library, e.g. IO, which is not part of the core language
- To include functionality of external libraries or structure your

Notes

Built-in types[4]

Integer types

- `bool` Representation of truth values: `true` or `false`
- `unsigned` Integral type for non-negative values only
- `short` Integral type that must hold at least 32 bits
- `long` Integral type that must hold at least 64 bits
- `size_t` Unsigned Integral type

Floating points

- `float` Single precision floating point type
- `double` Double precision floating point type
- `long double` Extended precision floating point type

[4] https://en.cppreference.com/w/cpp/language/types

Notes

Looping and counting

Notes

Using loops and counting

Compute the sum of $1, \ldots, n$

$$result = \sum_{i=1}^{n} i$$

Using the loop statement[5]

```
size_t result = 0;
for(size_t i = 1; i != 5; i++){
  result = result + i;
}
```

Condition

- The variable i is only available inside the loop's body
- The loop will execute the statements in the curly braces until i is equal to 5
- The value of i is incremented after all statements are executed

Notes

The while statement[6]

```
size_t result = 0;
size_t i = 1;
while (i != 5 ) {
  result += i;
  i++;
}
```

Condition

- `i != 5` the statement within the curly braces will be repeated five times
- `!=` is the inequality operator and once `i` is equal to `5` the loop stops

[6] https://en.cppreference.com/w/cpp/language/while

Notes

Conditionals[7]

Compute the sum of $f(i)$ for $i = 1, \ldots, n$

$$result = \sum_{i=1}^{n} f(i) \text{ with } f(i) = \begin{cases} i, & \text{if } i \text{ is even} \\ i^2, & \text{else} \end{cases}$$

```
size_t result = 0;
for(size_t i = 1; i != 5; i++){
  if(i % 1 == 0)
    result = result + i;
  else
    result = result + i * i;
}
```

if statement

- If the condition is `true` the statements in the `if` branch are executed
- If the condition is `false` the statements in the `else` branch are

Notes

Operators[8]

Logical operators

- `&&` Logical and
- || Logial or
- `!x` Logical negation

Comparison operators

- == Compares to equal
- `!=` Compares to unequal
- < Compares to be less
- > Compares to be higher
- <= Compares to be less or equal
- >= Compares to be higher or equal

[8] https://en.cppreference.com/w/cpp/language/operator_precedence

Notes

Working with strings

Notes

Reading strings

```
// Read person's name and greet the person
#include <iostream>
#include <string>

int main()
{
    std::cout << "Please enter your name: ";
    // Read the name
    std::string name;
    std::cin >> name;
    // Writing the name
    std::cout << "Hi, " << name << "!" << std::endl;
    return 0;
}
```

```
#include <string>

std::string name;
```

Variables: Definition

- Variables have a name (name) and a type (`std::string`)
- We need to include the string type, since it is not in the core

Notes

More functionality of strings

```
const std::string greetings = "Hi, " + name + "!";
```

Concatenation

`+` operator combines string

Defining constants

`const` operator to make the promise that we will not change the value later

```
const size_t length = greetings.size();
```

Getting the size

`.size()` operator to get the string's size

Notes

Summary

Notes

Summary

After this lecture, you should know

- Structure of a C++ program
- Handling strings
- Loops and counting
- Conditionals
- Operators
- Built-in types

Notes

References

Notes

References I

Notes